Deposited by
U.S. Gov.

## TABLE OF CONTENTS

The following synoptic table shows the first page of each of the principal sections in the respective numbers of the MONTHLY WEATHER REVIEW for 1934:

### REGULAR MONTHLY SECTIONS, 1934

[Page number]


| Sections | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bibliography | 18 | 61 | 98 | 134 | 165 | 203 | 251 | 296 | 344 | 380 | 415 | 458 |
| SOLAR OBSERVATIONS: | | | | | | | | | | | | |
| Solar and sky radiation measurements | 19 | 62 | 98 | 134 | 165 | 203 | 252 | 296 | 344 | 381 | 415 | 458 |
| Positions and areas of sun spots | 21 | 64 | 101 | 137 | 168 | 206 | 254 | 299 | 347 | 383 | (**) | 461 |
| Provisional sun-spot relative numbers | 21 | 64 | 101 | 137 | 168 | 207 | 254 | 299 | 347 | 383 | 418 | 461 |
| Aerological observations | 21 | 65 | 101 | 137 | 168 | 207 | 254 | 300 | 347 | 384 | 419 | 462 |
| Rivers and floods | 23 | 66 | 103 | 139 | 169 | 208 | 256 | 301 | 349 | 385 | 421 | 464 |
| WEATHER ON THE ATLANTIC AND PACIFIC OCEANS: | | | | | | | | | | | | |
| North Atlantic Ocean | 28 | 66 | 104 | 140 | 170 | 210 | 257 | 302 | 350 | 386 | 422 | 467 |
| Ocean gales and storms (table) | 29 | 67 | 105 | 141 | 171 | 211 | 258 | 304 | 351 | 387 | 423 | 468 |
| North Pacific Ocean | 30 | 68 | 106 | 141 | 172 | 211 | 258 | 304 | 352 | 388 | 424 | 469 |
| Typhoons in Far East | | | | | | | 259 | 305 | 353 | 389 | | 471 |
| CLIMATOLOGICAL TABLES: [1] | | | | | | | | | | | | |
| Condensed climatological summary (by States) | 32 | 70 | 108 | 143 | 173 | 212 | 260 | 306 | 354 | 391 | 426 | 472 |
| Table 1 (United States stations) | 33 | 71 | 109 | 144 | 174 | 213 | 261 | 307 | 355 | 392 | 427 | 473 |
| Table 2 (Canadian stations) | 36 | 74 | 112 | 147 | 177 | (*) | 264 | 310 | 359 | 395 | 430 | 477 |
| Table—Severe local storms | 37 | 75 | 113 | 147 | 177 | 216 | 265 | 311 | 359 | 395 | 431 | 478 |


[1] For a description of tables and charts see p. 31.
* Late—included in July.
** Late—included in December.

Charts I–VI appear in each number of the REVIEW, January to December, inclusive:

CHART I. Departure of the mean temperature from the normal.
II. Tracks of centers of anticyclones.
III. Tracks of centers of cyclones.
IV. Percentage of clear sky.
V. Total precipitation for the month.
VI. Isobars at sea level and isotherms at surface; prevailing winds.
VII. (Total snowfall) appears during the season, January to April, and November and December.
VIII, IX, etc. Weather maps of the North Atlantic (selected days showing principal storm tracks).
Annual temperature departures for the United States, 1934. (December only.)
Annual precipitation departures for the United States, 1934. (December only.)
Paths of hurricanes and other tropical storms, 1934. (December only.)

30835—35

# SUBJECT AND AUTHOR INDEX OF THE MONTHLY WEATHER REVIEW, 1934. VOL. 62


Aerology:
- Further conclusions from additional observations in the free air over San Diego, Calif. (1 fig.) (D. Blake.) 195–199.
- How a commercial pilot may contribute to a program of air-mass analysis by observations made during flight. (L. P. Harrison.) 157–159.
- Radiometeorography as applied to unmanned balloons. (8 figs.) (W. H. Wenstrom.) 221–226.
- Special series of sounding-balloon observations made during the winter of 1929–30. (L. T. Samuels.) 121–128.
- Upper-air winds over northern Alaska during the [Second] International Polar Year, August 1932–August 1933. (2 figs.) (L. A. Stevens.) 244–247.
- Use of free-air soundings in general forecasting. (1 fig.) (H. R. Byers.) 376–378.

Aerometeorograph. *See* Friez aerometeorograph.

Air drainage. Temperature variations along a forested slope in the Bent Creek Experimental Forest. (6 figs.) (L. T. Pierce.) 8–12.

Air mass. Marked air-mass displacements in California and their effects on weather (4 figs.) (A. W. Cook.) 39–45.

Air-mass analysis:
- How a commercial pilot may contribute to a program of air-mass analysis by observations made during flight. (L. P. Harrison.) 157–159.
- Turbidities of American air masses and conclusions regarding the seasonal variation in atmospheric dust content. (H. Wexler.) 397–402.

Alabama. Hourly distribution of rainfall at Mobile. (1 fig.) (H. Armstrong.) 200.

Alaska:
- A climatological review of the Alaska-Yukon Plateau. (6 figs.) (R. L. Frost.) 269–280.
- Upper-air winds over northern Alaska during the [Second] International Polar Year, August 1932–August 1933. (2 figs.) (L. A. Stevens.) 244–247.

**Alexander, A. E.** Petrology of the great dustfall of November 13, 1933. 15.

Anemometers (heated):
- The great wind of April 11–12, 1934, on Mount Washington, N. H., and its measurement:
  - Part I—Winds of superhurricane force and a heated anemometer for their measurement during ice-forming conditions. (4 figs.) (S. Pagliuca.) 186–189;
  - Part II—The Mount Washington, N. H., heated anemometer. (4 figs.) (D. W. Mann.) 189–191;
  - Part III—The calibration of the heated anemometer and the analysis of its record of April 11–12, 1934. (1 fig.) (C. F. Marvin.) 191–195.

Anemometry. Recent advances in. (6 figs.) (C. F. Marvin.) 115–120.

Antarctica. Meteor trails in. *Note.* (T. C. Poulter.) 250.

Aqueous vapor. Tables (in millibars) of the "pressure of saturated aqueous vapor over water" at temperatures from 0° to −50°C. (L. P. Harrison.) 247–248.

**Armstrong, Harry.** Hourly distribution of rainfall at Mobile, Ala. (1 fig.) 200.

Atmosphere. Observations of condensation nuclei in. (7 figs.) (H. Landsberg.) 442–445.

Atmospheric electricity. Atmospheric ionization near the ground during thunderstorms. (5 figs.) (G. R. Wait and A. G. McNish.) 1–4.

Automobile accidents. Relation between visibility restrictions and auto mishaps in Greensboro, N. C. (2 figs.) (John C. Scholl.) 453–454.

Aviators. How a commercial pilot may contribute to a program of air-mass analysis by observations made during flight. (L. P. Harrison.) 157–159.

**Ballard, John C.** Some results of sounding-balloon observations during the Second International Polar Year, August 1932–August 1933, inclusive. (6 figs.) 45–53.

**Ballard, John C.** and **Drawbaugh, William B.** The effect of temperature on the pressure elements of the Friez aerometeorograph. 53–54.

Balloons (pilot). Radiometeorography as applied to unmanned balloons. (8 figs.) (W. H. Wenstrom.) 221–226.

Barometry:
- An international comparison of standard barometers. (S. P. Fergusson.) 364–366.
- Reduction of the barometric pressure over the Plateau to the 5,000-foot level. (D. M. Little and E. M. Vernon.) 149–155.

Bent Creek Experimental Forest, N. C. Temperature variations along a forested slope in. (6 figs.) (L. T. Pierce.) 8–12.

**Blake, Dean.** Further conclusions from additional observations in the free air over San Diego, Calif. (1 fig.) 195–199.

**Bogue, A. H.** Estimating the yield of grain from the weather. 334–337.

Boulder Dam. Climatic characteristics of. (1 fig.) (G. V. Sager.) 181–185.

Brazil. Circulation of the stratosphere over. *Note.* (A. B. Serra.) *Transl. by A. R. Stickley.* 164.

**Byers, Horace R.** The use of free-air soundings in general forecasting. (1 fig.) 376–378.

California:
- Long-period fluctuations of some meteorological elements in relation to forest-fire problems. (8 figs.) (L. G. Gray.) 231–235.
- Marked air-mass displacements in. (4 figs.) (A. B. Cook.) 39–45.
- Monthly and seasonal distribution of snowfall in. (7 figs.) (M. Sprague.) 438–441.
- Winter fogs in the Great Valley of. (3 figs.) (R. C. Counts, Jr.) 407–410.
- *Los Angeles:*
  - Excessive rain and flood in. (L. H. Daingerfield.) 91–94.
  - Meteorological conditions attending the heavy rainfall, December 30, 1933–January 1, 1934. (G. M. French.) 94–96.
- *San Diego*—Further conclusions from additional observations in the free air over. (1 fig.) (D. Blake.) 195–199.

**Carpenter, Archer B.** Record November fog preceding phenomenal winter of 1933–34 in the Pacific Northwest. (2 figs.) 404–407.

**Chapel, L. T.** The significance of air movements across the Equator in relation to the development and early movement of tropical cyclones. 433–438.

Chinook winds. Battle of, at Havre, Mont. (3 figs.) (F. A. Math.) 54–56.

Climate and crops. Estimating the yield of grain from the weather. (A. H. Bogue.) 334–337.

Climatology. A climatological review of the Alaska-Yukon Plateau. (6 figs.) (R. L. Frost.) 269–280.

**Cline, Isaac M.** The tropical cyclone of June 16, 1934. (2 figs.) 249–250.

Cold waves. The January 1934 cold wave on Mount Washington, N. H. (1 fig.) (S. Pagliuca.) 57–58.

**Cole, John S.** Coauthor. See Horton and Cole.

Condensation nuclei. Observations of, in the atmosphere. (7 figs.) (H. Landsberg.) 442–445.

**Cook, Albert W.** Marked air-mass displacements in California and their effects on weather. (4 figs.) 39–45.

Corn:
- Critical period of, in northeastern Kansas. (2 figs.) (A. D. Robb.) 286–289.
- Surprising decrease in rainfall at the critical period for corn. (A. D. Robb.) 89–90.

Counts, R. Corday, Jr.:
- Storms over the northeast Pacific Ocean and adjacent land areas in December 1933. 58–59.
- Winter fogs in the Great Valley of California. (3 figs.) 407–410.

Crops. *See* Corn, wheat, etc.

**Dague, Charles I.** The weather of the great Tillamook, Oreg., fire of August 1933. (3 figs.) 227–231.

**Daingerfield, Lawrence H.** Excessive rain and flood in the Los Angeles, Calif., area. 91–94.

Dew point. Diurnal variation in the dew-point temperature at Asheville, N. C. (4 figs.) (L. T. Pierce.) 289–293.




30835—35——2

**Donnel, Charles A.** Temperature relations between the two Chicago Weather Bureau stations: Campus of the University of Chicago, and the roof of the U. S. courthouse. 131–132.
**Doucette, Bernard F., S. J.** *See* "Typhoons, etc." in table on p. iii of this index.
**Drawbaugh, William B.** Coauthor. *See* Ballard and Drawbaugh.
Droughts:
Lightning storms and forest fires on the national forests of Oregon and Washington. (W. B. Morris.) *Summarized by W. R. Stevens.* 370–375.
Meteorological conditions preceding thunderstorms on the national forests. (12 figs.) (W. R. Stevens.) 366–370.
**Dunn, Gordon E.:**
The tropical disturbance of June 5–23, 1934. 202–203.
Tropical storms of 1934. (1 chart.) 457.
Dust. Turbidities of American air masses and conclusions regarding the seasonal variation in atmospheric dust content. (H. Wexler.) 397–402.
Dust storms:
The character and magnitude of the dust cloud which passed over Washington, D. C., May 11, 1934. (I. F. Hand.) 156–157.
The dustfall of November 12–13, 1933. (2 figs.) (E. R. Miller.) 14–15.
Dust storms of April 12, 1934, at Baton Rouge, La. (R. J. Russell and R. Dana.) 163–164.
The great dust storm of November 12, 1933. (M. V. Hovde.) 12–13.
Petrology of the great dustfall of November 13, 1933. (A. E. Alexander.) 15.
Some observations of the sun through a dust storm. *Note.* (C. T. Elvey.) 201–202.

**Elvey, C. T.** Some observations of the sun through a dust storm. *Note.* 201–202.
Equator. The significance of air movements across the Equator in relation to the development and early movement of tropical cyclones. (L. T. Chapel.) 433–438.
Evaporation. Compilation and summary of the evaporation records of the Bureau of Plant Industry of the U. S. Department of Agriculture, 1921–1932. (R. E. Horton and J. S. Cole.) 77–89.
Excessive precipitation:
Excessive rain and flood in the Los Angeles, Calif., area. (L. H. Daingerfield.) 91–94.
Meteorological conditions attending the heavy rainfall in the Los Angeles, Calif., area. December 30, 1933–January 1, 1934. (G. M. French.) 94–96.

**Fergusson, Sterling P.** An international comparison of standard barometers. 364–366.
Fire-weather:
Long-period fluctuations of some meteorological elements in relation to California forest-fire problems. (8 figs.) (L. G. Gray.) 231–235.
The weather of the great Tillamook, Oreg., fire of August 1933. (3 figs.) (C. I. Dague.) 227–231.
**Fisher, Lawrence C.** Precipitation averages for the State of Washington as affected by habitability. 235–240.
Floods. Excessive rain and flood in the Los Angeles, Calif., area. (L. H. Daingerfield.) 91–94.
Florida, Straits of. Regression equations analyzing the immediate antecedents of temperature anomalies in Straits of Florida surface water. (1 fig.) (G. Slocum.) 411–415.
Foehn winds. *See* Chinook winds.
Fogs:
Record November fogs preceding the phenomenal winter of 1933–34 in the Pacific Northwest. (2 figs.) (A. B. Carpenter.) 404–407.
Statistical analysis of fogs at Greensboro, N. C., Airport. (J. C. Scholl.) 159–162.
Winter fogs in the Great Valley of California. (3 figs.) (R. C. Counts, Jr.) 407–410.
Forest fires:
Long-period fluctuations of some meteorological elements in relation to California forest-fire problems. (8 figs.) (L. G. Gray.) 231–235.
The weather of the great Tillamook, Oreg., fire of August 1933. (3 figs.) (C. I. Dague.) 227–231.
Forest-fire weather:
Lightning storms and forest fires on the national forests of Oregon and Washington. (W. G. Morris.) *Summarized by W. R. Stevens.* 370–375.
Forest-fire weather—Continued.
Meteorological conditions preceding thunderstorms on the national forests. (12 figs.) (W. R. Stevens.) 366–370.
Free-air soundings. The use of, in general forecasting. (1 fig.) (H. R. Byers.) 376–378.
**French, George M.** Meteorological conditions attending the heavy rainfall in the Los Angeles, Calif., area, December 30, 1933–January 1, 1934. 94–96.
Friez aerometeorograph. The effect of temperature on the pressure elements of. (J. C. Ballard and W. B. Drawbaugh.) 53–54.
**Frost, Reuben L.** A climatological review of the Alaska-Yukon Plateau. (6 figs.) 269–280.

Grain. (*See also* Corn, Wheat, Crops.) Estimating the yield of grain from the weather. (A. H. Bogue.) 334–337.
**Gray, Leslie G.** Long-period fluctuations of some meteorological elements in relation to California forest-fire problems. (8 figs.) 231–235.
Great Plains. Precipitation in the northern Great Plains. (4 charts & 1 fig.) (W. A. Mattice.) 445–447.

Halo, solar. An unusual solar halo at Portland, Oreg., February 15, 1934. (W. H. Woodward.) 59.
**Hand, Irving F.** The character and magnitude of the dense dust cloud which passed over Washington, D. C., May 11, 1934. 156–157.
**Harrison, Louis P.**
How a commercial pilot may contribute to a program of air-mass analysis by observations made during flight. 157–159.
Tables (in millibars) of the "pressure of saturated aqueous vapor over water" at temperatures from 0 to −50° C. 247–248.
**Hines, Leonard.** Analyses of the precipitations at Mount Vernon, Iowa, for 1932–33. 90–91.
**Horton, Robert E.** and **Cole, John S.** Compilation and summary of the evaporation records of the Bureau of Plant Industry, U. S. Department of Agriculture, 1921–1932. 77–89.
**Horton, Robert E.,** and **Leach, H. A.** Snow-surface temperature. (2 figs.) 128–130.
**Hovde, Martin R.** The great dust storm of November 12, 1933. 12–13.
**Humphreys, William J.**
Rime caps and snow cocks. *Note.* (6 figs.) 97.
The "sinking" of lake and river ice. *Note.* 133.
Unusual snowstorm in southeastern West Virginia. *Note.* 295.
Hurricanes:
*In general:*
The significance of air movements across the Equator in relation to the development and early movement of tropical cyclones. (L. T. Chapel.) 433–438.
*Chronological occurrence.*
June 5, 1934. (G. E. Dunn.) 202–203.
June 16, 1934. The tropical cyclone of, in Louisiana. (2 figs.) (I. M. Cline.) 249–250.
July 21–25, 1934. *Note on.* (C. L. Mitchell.) 251.
August 26–31, 1934. *Note on.* (C. L. Mitchell.) 344.
Year 1934. *Summary.* (1 chart.) (G. E. Dunn) 457.

Ice. The "sinking" of lake and river ice. *Note.* (W. J. Humphreys.) 133.
Ice storms. Sleet and ice storm in Tennessee on March 19, 1934. (R. M. Williamson.) 97–98.
Illinois. Temperature relations between the two Chicago Weather Bureau stations: Campus of the University of Chicago and the roof of the U. S. courthouse. (C. A. Donnel.) 131–132.
Instruments. *See under specific names.*
Ionization. Near the ground during thunderstorms. (5 figs.) (G. R. Wait and A. G. McNish.) 1–4.
Iowa:
Analyses of the precipitations at Mount Vernon, Iowa, 1932–33. (L. Hines.) 90–91.
Analysis of the precipitation of rains and snows at Mount Vernon, Iowa, June 1933–June 1934. (N. Knight.) 163–164.
Italy. Annual precipitation at Padua, 1901–1933. *Note.* (W. W. Reed.) 250.

Kansas:
Critical period of corn in northeastern Kansas. (2 figs.) (A. D. Robb.) 286–289.
Meteorological conditions and wheat yields in Ford County. (C. E. Koeppe.) 132–133.
**Kimball, Herbert H.** Turbidity and water vapor determinations from solar radiation measurements at Blue Hill, and relation to air-mass types. 330–333.
**Kincer, Joseph B.** and **Mattice, William A.** A remarkable temperature agreement at a 33-year interval. 378–379.
**Knight, Nicholas.** Analysis of the precipitation of rains and snows at Mount Vernon, Iowa, June 1933–June 1934. 163–164.
**Koeppe, Clarence E.**
Meteorological conditions and wheat yields in Ford County, Kans. 132–133.
Meteorological extremes of the Southwest. 447–452.
**Koschmieder, H.** Methods and results of definite rain measurements. (4 figs.) *Transl. by R. J. Martin.* 5–7.

Lake ice. *See* Ice.
**Landsberg, H.** Observations of condensation nuclei in the atmosphere. (7 figs.) 442–445.
**Laurens, Henry.** Coauthor. *See* Mayerson and Laurens.
**Leach, H. R.** Coauthor. *See* Horton and Leach.
Lightning:
Branches on the ground. (2 figs.) (R. H. Weightman.) 200–201.
Central Office of U. S. Weather Bureau struck by. *Note.* (A. K. Showalter.) 133.
Lightning storms and forest fires on the national forests of Oregon and Washington. (W. G. Morris.) *Summarized by W. R. Stevens.*) 370–375.
Meteorological conditions preceding thunderstorms on the national forests. (12 figs.) (W. R. Stevens.) 366–370.
**Little, Delbert M.** and **Vernon, Edward M.** Reduction of the barometric pressure over the Plateau to the 5,000-foot level. (1 fig.) 149–155.
**Long, Arthur R.** Is low relative humidity a good indication of precipitation within the next 48 hours? *Note.* 295.
Long-range forecasts. In Puerto Rico. (6 figs.) (C. L. Ray.) 235–240.
Louisiana:
Dust storm of April 12, 1934. (R. J. Russell and R. Dana.) 163–164.
Tornado, March 26, 1934. (G. Norton.) 96–97
Total solar radiation at New Orleans, La. (7 figs.) (H. Mayerson and H. Laurens.) 281–286.
Tropical cyclone of June 16, 1934. (2 figs.) (I. M. Cline.) 249–250.

**McEwen, George F.** Quarterly forecasts of sea and air temperatures. (3 figs.) 364–366.
**McNish, A. G.** Coauthor. *See* Wait and McNish.
**Mann, D. W.** The great wind of April 11–12, 1934, on Mount Washington, N. H., and its measurement: Part II—The Mount Washington, N. H., heated anemometer. (4 figs.) 189–191.
**Martin, Robert J.**
Preliminary report of tornadoes in the United States during 1934. 455.
The weather of 1934 in the United States. (2 charts.) 455–457.
**Martin, Robert J.** *Translator.* *See* Koschmieder, H.
**Marvin, Charles F.**
The great wind of April 11–12, 1934 on Mount Washington, N. H., and its measurement: Part III—The calibration of the Mount Washington, N. H., heated anemometer and the analysis of its record of April 11–12, 1934. (1 fig.) 191–195.
Recent advances in anemometry. (6 figs.) 115–120.
**Math, Frank A.** Battle of the chinook wind at Havre, Mont. (3 figs.) 54–56.
**Mattice, William A.**
Precipitation in the northern Great Plains. (4 charts & 1 fig.) 445–447.
Weather and pears in New York State. *Note.* (1 fig.) 454.
**Mattice, William A.** Coauthor. *See* Kincer and Mattice.
**Mayerson, H. S.** and **Laurens, Henry.** Total solar radiation at New Orleans, La. (7 figs.) 281–286.

Meteorology:
*Aeronautical meteorology:*
Radiometeorography as applied to unmanned balloons. (8 figs.) (W. H. Wenstrom.) 221–226.
*Marine meteorology:*
Quarterly forecasts of sea and air temperatures. (3 figs.) (G. F. McEwen.) 361–364.
*Mountain meteorology:*
Mount Washington, N. H., Observatory progress report. (S. Pagliuca.) 16–18.
*Optical meteorology:*
An unusual solar halo at Portland, Oreg., February 15, 1934. (W. H. Woodward.) 59.
*Polar meteorology:*
Some results of sounding-balloon observations during the Second International Polar Year, August 1932–August 1933. (6 figs.) (J. C. Ballard.) 45–53.
*Research meteorology:*
Recent advances in anemometry. (6 figs.) (C. F. Marvin.) 115–120.
Special series of sounding-balloon observations made during the winter of 1929–30. (L. T. Samuels.) 121–128.
Meteors. Meteor trails in Antarctica. *Note.* (T. C. Poulter.) 250.
Mexico, Gulf of. Tropical disturbance of July 21–25, 1934. *Note.* (C. L. Mitchell.) 251.
**Miller, Eric R.**
Dustfall of November 12–13, 1933. (2 figs.) 14–15.
Some wind velocity correlations. 402–404.
Minimum temperature. Time limits of the day as affecting records of. (E. S. Nichols.) 337–343.
Mississippi. Tornadoes in Lauderdale County, Sunday, February 25, 1934. (E. E. Unger.) 59–61.
**Mitchell, Charles L.**
Tropical disturbance of July 21–25, 1934. *Note.* 251.
Tropical disturbance of August 26–31, 1934. *Note.* 344.
**Monson, O. W.** The snow survey as index to summer precipitation. (14 figs.) 322–330.
Montana. Battle of the chinook wind at Havre. (3 figs.) (F. A. Math.) 54–56.
**Morris, William G.** Lightning storms and forest fires on the national forests of Oregon and Washington. *Summarized by W. R. Stevens.* 370–375.
Mountain observatories. *See* Mount Washington.
Mount Washington, N. H., Observatory:
The great wind of April 11–12, 1934, and its measurement:
Part I—Winds of superhurricane force and a heated anemometer for their measurement during ice-forming conditions. (4 figs.) (S. Pagliuca.) 186–189.
Part II—The Mount Washington, N. H., heated anemometer. (4 figs.) (D. W. Mann.) 189–191.
Part III—The calibration of the heated anemometer and analysis of its record of April 11–12, 1934. (1 fig.) C. F. Marvin.) 189–191.
The January 1934 cold wave on Mount Washington. (1 fig.) (S. Pagliuca.) 57–58.

Nevada. Climatic characteristics of Boulder Dam. (1 fig.) (G. V. Sager.) 181–185.
New York:
Waterspouts, October 29, 1934, Buffalo harbor. *Note.* (J. H. Spencer.) 380.
Weather and pears in. *Note.* (1 fig.) (W. A. Mattice.) 454.
**Nichols, Esek S.** Time limits of the day as affecting records of minimum temperature. 337–343.
North Carolina:
Diurnal variation in the dewpoint temperature at Asheville. (4 figs.) (L. T. Pierce.) 289–293.
Relation between visibility restrictions and auto mishaps in Greensboro, N. C. (2 figs.) (J. C. Scholl.) 159–162.
**Norton, Grady.** The New Orleans, La., tornado of March 26, 1934. 96–97.
Observations, time of:
Effect of time of observations on mean temperature. (W. F. Rumbaugh.) 375–376.
Time limits of the day as affecting the records of minimum temperature. (E. S. Nichols.) 337–343.
Oceanography. Quarterly forecasts of sea and air temperatures. (3 figs.) (G. F. McEwen.)

Oregon:
The great Tillamook fire of August 1933. (3 figs.) (C. I. Dague.) 227–231.
Lightning storms and forest fires on the national forests of Oregon and Washington. (W. G. Morris.) *Summarized by W. R. Stevens.* 370–375.
Unusual solar halo at Portland, Oreg., February 15, 1934. (W. H. Woodward.) 59.

Pacific Northwest. Record November fog preceding phenomenal winter of 1933–34. (2 figs.) (A. B. Carpenter.) 404–407.
Pacific Ocean. Storms over the northeast Pacific Ocean and adjacent land areas in December 1933. (R. C. Counts, Jr.) 58–59.
**Pagliuca, Salvatore**
The great wind of April 11–12, 1934, on Mount Washington, N. H., and its measurement: Part I—Winds of super-hurricane force and a heated anemometer for their measurement during ice-forming conditions. (4 figs.) 186–189.
The January 1934 cold wave on Mount Washington. (1 fig.) 57–58.
Mount Washington Observatory, N. H., progress report. 16–18.
Pears. Weather and pears in New York State. (1 fig.) (W. A. Mattice.) *Note.* 454.
Petrology. Petrology of the great dust storm of November 13, 1933. (A. E. Alexander.) 15.
**Pierce, Leland T.**
Diurnal variation in the dewpoint temperature at Asheville, N. C. (4 figs.) 289–293.
Temperature variations along a forested slope in the Bent Creek Experimental Forest, N. C. (6 figs.) 8–12.
Plateau region. Reduction of the barometric pressure over the Plateau to the 5,000-foot level. (D. M. Little and E. M. Vernon.) (1 fig.) 149–155.
**Poulter, Thomas G.** Meteor trails in Antarctica. *Note.* 250.
Precipitation:
Analyses of the precipitations at Mount Vernon, Iowa, for 1932–33. (L. Hines.) 90–91.
Analysis of the precipitation of rains and snows at Mount Vernon, Iowa, June 1933–June 1934, incl. (N. Knight.) 163–164.
Annual precipitation at Padua, Italy, 1901–1933, incl. *Note.* (W. W. Reed.) 250.
Critical period of corn in northeastern Kansas. (2 figs.) (A. D. Robb.) 286–289.
Hourly distribution of rainfall at Mobile, Ala. (1 fig.) (H. Armstrong.) 200.
Is low relative humidity a good indication of precipitation within the next 48 hours? *Note.* (A. R. Long.) 295.
Lightning storms and forest fires on the national forests of Oregon and Washington. (W. G. Morris.) *Summarized by W. R. Stevens.* 370–375.
Long-period fluctuations of some meteorological elements in relation to California forest-fire problems. (8 figs.) (L. G. Gray.) 231–235.
Meteorological conditions preceding thunderstorms on the national forests. (12 figs.) (W. R. Stevens.) 366–370.
Meteorological extremes of the Southwest. (C. E. Koeppe.) 447–452.
Monthly and seasonal distribution of snowfall in California. (7 figs.) 438–441.
On the relation between rainfall and streamflow. (1 fig.) (R. T. Zoch.) 315–322.
Precipitation averages for the State of Washington as affected by habitability. (L. C. Fisher.) 241–243.
Precipitation in the Northern Great Plains. (4 charts and 1 fig.) (W. A. Mattice.) 445–447.
The snow survey as an index to summer precipitation. (14 figs.) (O. W. Monson.) 330–333.
Surprising decrease in rainfall at the critical period for corn. (A. D. Robb.) 89–90.
Weather and pears in New York State. (1 fig.) *Note.* (W. A. Mattice.) 454.
Weather of 1934 in the United States. (2 charts.) (R. J. Martin.) 455–457.
Precipitation measurements. Methods and results of definite rain measurements. (5 figs.) (H. Koschmieder.) *Transl. by R. J. Martin.* 5–7.
Pressure:
Circulation of the stratosphere over Brazil. *Note.* (A. B. Serra.) *Transl. by A. R. Stickley.* 164.
Pressure—Continued
Effect of temperature on the pressure elements of the Friez aerometeorograph. (J. C. Ballard and W. B. Drawbaugh.) 53–54.
Reduction of the barometric pressure over the Plateau to the 5,000-foot level. (1 fig.) (D. M. Little and E. M. Vernon.) 149–155.
Puerto Rico. Long-range forecasts in. (6 figs.) (C. L. Ray.) 235–240.

Radiometeorography. As applied to unmanned balloons. (8 figs.) (W. H. Wenstrom.) 221–226.
**Ray, Clifton L.** Long-range forecasts in Puerto Rico. (6 figs.) 235–240.
Rain, Rainfall. *See* Precipitation.
**Reed, Wesley W.** Annual precipitation at Padua, Italy, 1901–1933. *Note.* 250.
Regression equations. Analyzing the immediate antecedents of temperature anomalies in Straits of Florida surface water. (1 fig.) (G. Slocum.) 411–415.
Relative humidity:
Is low relative humidity a good indication of precipitation within the next 48 hours? *Note.* (A. R. Long.) 295.
Lightning storms and forest fires on the national forests of Oregon and Washington. (W. G. Morris.) *Summarized by W. R. Stevens.* 370–375.
Long-period fluctuations of some meteorological elements in relation to California forest-fire problems. (8 figs.) (L. G. Gray.) 231–235.
Meteorological conditions preceding thunderstorms on the national forests. (12 figs.) (W. R. Stevens.) 366–370.
Rime caps. And snow cocks. (6 figs.) *Note.* (W. J. Humphreys.) 97.
River ice. *See* Ice.
**Robb, Andrew D.:**
Critical period of corn in northeastern Kansas. (2 figs.) 286–289.
Surprising decrease in rainfall at the critical period for corn. 89–90.
**Rumbaugh, Walter F.** The effect of time of observation on mean temperature. 375–376.
**Russell, R. J. and Dana, R.** Dust storm of April 12, 1934, at Baton Rouge, La. 163–164.

**Sager, George V.** Climatic characteristics of the Boulder Dam region. (1 fig.) 181–185.
**Samuels, Leroy T.** Special series of sounding-balloon observations made during the winter of 1929–30. 121–128.
**Scholl, John C.:**
Relation between visibility restrictions and auto mishaps in Greensboro, N. C. (2 figs.) 453–454.
Statistical analysis of fogs at Greensboro, N. C., airport. 159–162.
**Serra, Adalberto B.** Circulation of the stratosphere over Brazil. *Note. Transl. by A. R. Stickley.* 164.
Second International Polar Year (1932–33):
Some results of sounding-balloon observations during. (6 figs.) (J. C. Ballard.) 45–53.
Upper-air winds over northern Alaska during. (2 figs.) (L. A. Stevens.) 244–247.
**Showalter, Albert K.** Central Office of the U. S. Weather Bureau struck by lightning. *Note.* 133.
Sleet. And ice storm in Tennessee on March 19, 1934. (R. M. Williamson.) 97–98.
**Slocum, Giles.** Regression equations analyzing the immediate antecedents of temperature anomalies in the Straits of Florida surface water. (1 fig.) 411–415.
Snow. *See* Snowfall; also, Precipitation.
Snow cocks. Rime caps and snow cocks. *Note.* (6 figs.) (W. J. Humphreys.) 97.
Snowfall:
Monthly and seasonal distribution of snowfall in California. (7 figs.) (M. Sprague.) 438–441.
The snow survey as an index to summer precipitation. (14 figs.) (O. W. Monson.) 322–330.
Snowstorm. An unusual snowstorm in southeastern West Virginia. *Note.* (W. J. Humphreys.) 295.
Snow-surface temperature. (2 figs.) (R. E. Horton and H. R. Leach.) 128–130.
Snow surveys. As an index to summer precipitation. (14 figs.) (O. W. Monson.) 322–330.

Solar radiation:
Total solar radiation at New Orleans, La. (7 figs.) (H. S. Mayerson and H. Laurens.) 281–286.
Turbidity and water vapor determinations from solar radiation measurements, at Blue Hill, and relation to air-mass types. (H. H. Kimball.) 330–333.
Sounding-balloon observations. Some results of, during the Second International Polar Year, August 1932–August 1933. (6 figs.) (J. C. Ballard.) 45–53.
Southwest (United States). Meteorological extremes of. (C. E. Koeppe.) 447–452.
**Spencer, James H.** Waterspouts, October 29, 1934, in Buffalo, N. Y., harbor. *Note.* 380.
**Sprague, Malcolm.** Monthly and seasonal distribution of snowfall in California. (7 figs.) 438–441.
**Stevens, Loyd A.** Upper-air winds over northern Alaska during the [Second] International Polar Year, August 1932–August 1933, inclusive. (2 figs.) 244–247.
**Stevens, Welby R.** (abstracter: *see* Morris, Wm. G.). Meteorological conditions preceding thunderstorms on the national forests. (12 figs.) 366–370.
**Stickley, Allen R.** *Translator. See* Serra, A. B.
Storm damage:
Excessive rain and flood in the Los Angeles area. (L. H. Daingerfield.) 91–94.
Great dust storm of November 12, 1933. (M. R. Hovde.) 12–13.
Preliminary report of tornadoes in the United States during 1934. (R. J. Martin.) 455.
Sleet and ice storm in Tennessee on March 19, 1934. (R. M. Williamson.) 97–98.
Tornadoes in Lauderdale, Miss., Sunday, February 25, 1934. (E. E. Unger.) 59–61.
Tropical cyclone of June 16, 1934, in Louisiana. (2 figs.) (I. M. Cline.) 249–250.
Tropical disturbance of July 21–25, 1934. *Note.* (C. L. Mitchell.) 251.
Tropical disturbance of August 26–31, 1934. *Note.* (C. L. Mitchell.) 344.
Storms. Over the northeast Pacific Ocean and adjacent land areas in December 1933. (R. C. Counts, Jr.) 58–59.
Stratosphere. Circulation of, over Brazil. *Note.* (A. B. Serra.) *Transl. by A. R. Stickley.* 164.
Streamflow. On the relation between rainfall and streamflow. (1 fig.) (R. T. Zoch.) 315–322.

Temperature:
Diurnal variation in the dewpoint temperature at Asheville, N. C. (4 figs.) (L. T. Pierce.) 289–293.
Effect of temperature on the pressure elements of the Friez aerometeorograph. (J. C. Ballard and W. B. Drawbaugh.) 53–54.
Effect of time of observation on mean temperature. (W. F. Rumbaugh.) 375–376.
Long-period fluctuations of some meteorological elements in relation to California forest-fire problems. (8 figs.) (L. G. Gray.) 231–235.
Meteorological extremes of the Southwest. (C. E. Koeppe.) 447–452.
Quarterly forecasts of sea and air temperatures. (3 figs.) (G. F. McEwen.) 361–364.
Remarkable temperature agreement at a 33-year interval. (J. B. Kincer and W. A. Mattice.) 378–379.
Temperature relations between the two Chicago Weather Bureau stations: Campus of the University of Chicago and the roof of the U. S. Courthouse. (C. A. Donnel.) 131–132.
Temperature variations along a forested slope in the Bent Creek Experimental Forest, N. C. (6 figs.) (L. T. Pierce.) 8–12.
Weather and pears in New York State. (1 fig.) *Note.* (W. A. Mattice.) 454.
Weather of 1934 in the United States. (2 charts.) (R. J. Martin.) 455–457.
Tennessee. Sleet and ice storm in, on March 19, 1934. (R. M. Williamson.) 455–457.
Thermometer exposure. Temperature relations between the two Chicago Weather Bureau stations: Campus of the University of Chicago, and the roof of the U. S. Courthouse. (C. A. Donnel.) 131–132.
Thirty-three-year temperature mean. A remarkable agreement at a 33-year interval. (J. B. Kincer and W. A. Mattice.) 378–379.
Thunderstorms:
Atmospheric ionization near the ground during thunderstorms. (5 figs.) (G. R. Wait and A. G. McNish.) 1–4.
Lightning storms and forest fires on the national forests of Oregon and Washington. (W. G. Morris.) *Summarized by W. R. Stevens.* 370–375.
Meteorological conditions preceding thunderstorms on the national forests. (12 figs.) (W. R. Stevens.) 366–370.
Tornadoes (arranged chronologically):
February 25, 1934, at Lauderdale, Miss. (E. E. Unger.) 59–61.
March 26, 1934, at New Orleans, La. (G. Norton.) 96–97.
Year 1934. Preliminary report of, in United States. (R. J. Martin.) 455.
Tropical storms. *See* Hurricanes.
Turbidity:
And water vapor determinations from solar radiation measurements at Blue Hill, and relation to air-mass types. (H. H. Kimball.) 330–333.
Turbidity of American air masses and conclusions regarding the seasonal variation in atmospheric dust content. H. Wexler.) 397–402.

**Unger, Ellwood E.** Tornadoes in Lauderdale, Miss., Sunday, February 25, 1934. 59–61.
United States:
Preliminary report of tornadoes during 1934. (R. J. Martin.) 455.
Weather of 1934 in. (2 charts.) (R. J. Martin.) 455–457.
United States Bureau of Plant Industry. Compilation and summary of the evaporation records of, 1921–1932. (R. E. Horton and J. S. Cole.) 77–89.
United States Weather Bureau. Central Office of, struck by lightning. *Note.* (A. K. Showalter.) 133.
Upper-air winds. Over northern Alaska during the [Second] International Polar Year, August 1932–August 1933. (2 figs.) (L. A. Stevens.) 244–247.

**Vernon, Edward M.** Coauthor. *See* Little and Vernon.
Visibility:
Relation between visibility restrictions and auto mishaps in Greensboro, N. C. (2 figs.) (J. C. Scholl.) 453–454.
Some observations of the sun through a dust storm. *Note.* (C. T. Elvey.) 201–202.

**Wait, G. R., and McNish, A. G.** Atmospheric ionization near the ground during thunderstorms. (5 figs.) 1–4.
Washington, D. C. The character and magnitude of the dense dust cloud which passed over Washington, May 11, 1934. (I. F. Hand.) 156–157.
Washington (State):
Lightning storms and forest fires on the national forests of Washington. (W. G. Morris.) *Summarized by W. R. Stevens.* 370–375.
Precipitation averages as affected by habitability. (L. C. Fisher.) 241–243.
Waterspouts. October 29, 1934, in Buffalo, N. Y., harbor. *Note.* (J. H. Spencer.) 380.
Water supply. The snow survey as index to summer precipitation. (14 figs.) (O. W. Monson.) 322–330.
Water-surface temperatures. Regression equations analyzing the immediate antecedents of temperature anomalies in Straits of Florida surface water. (1 fig.) (G. Slocum.) 411–415.
Water temperatures. Quarterly forecasts of sea and air temperatures. (3 figs.) (G. F. McEwen.) 361–364.
Water vapor. Turbidity and water vapor determinations from solar radiation measurements at Blue Hill, and relation to air-mass types. (H. H. Kimball.) 330–333.
Weather:
Marked air-mass displacements in California and their effects on weather. (4 figs.) (A. W. Cook.) 39–45.
Weather of 1934 in the United States. (2 charts.) (R. J. Martin.) 455–457.

Weather and crops:
Meteorological conditions and wheat yields in Ford County, Kans. (C. E. Koeppe.) 132–133.
Weather and pears in New York State. *Note.* (1 fig.) (W. A. Mattice.) 454.
Weather forecasting:
Is low relative humidity a good indication of precipitation within the next 48 hours? *Note.* (A. R. Long.) 295.
The use of free-air soundings in general forecasting. (1 fig.) (H. R. Byers.) 376–378.
**Weightman, Richard H.** Lightning branches on the ground. (2 figs.) 200–201.
**Wenstrom, William H.** Radiometeorography as applied to unmanned balloons. (8 figs.) 221–226.
West Virginia. An unusual snowstorm in southeastern West Virginia. *Note.* (W. J. Humphreys.) 295.
**Wexler, Harry.** Turbidities of American air masses and conclusions regarding the seasonal variation in atmospheric dust content. 397–402.
Wheat yields. Meteorological conditions and wheat yields in Ford County, Kans. (C. E. Koeppe.) 132–133.
**Williamson, Robert M.** Sleet and ice storm in Tennessee on March 19, 1934. 97–98.
Winds:
*At particular places:*
Battle of the chinook wind at Havre, Mont., (3 figs.) (F. A. Math.) 54–56.
*General circulation of the atmosphere:*
Circulation of the stratosphere over Brazil. *Note.* (A. B. Serra.) *Transl. by A. R. Stickley.* 164.
Dustfall of November 12–13, 1933. (2 figs.) (E. R. Miller.) 14–15.
Great dust storm of November 12, 1933. (M. R. Hovde.) 12–13.
Marked air-mass displacements in California and their effects on weather. (4 figs.) (A. W. Cook.) 39–45.
Reduction of the barometric pressure over the Plateau to the 5,000-foot level. (D. M. Little and E. M. Vernon.) 149–155.
Significance of air movements across the Equator in relation to the development and early movement of tropical cyclones. (L. T. Chapel.) 433–438.
Some results of sounding-balloon observations during the Second International Polar Year, August 1932–August 1933. (6 figs.) (J. C. Ballard.) 45–53.
Winds—Continued.
*General circulation of the atmosphere*—Continued.
Turbidities of American air masses and conclusions regarding the seasonal variation in atmospheric dust content. (H. Wexler.) 397–402.
Upper-air winds over northern Alaska during the [Second] International Polar Year, August 1932–August 1933. (3 figs.) (L. A. Stevens.) 244–247.
*Methods of observation:*
Some wind velocity correlations. (E. R. Miller.) 402–404.
*Surface influence of winds:*
Some wind velocity correlations. (E. R. Miller.) 402–404.
*Windstorms:*
The great wind of April 11–12, 1934, on Mount Washington, N. H., and its measurement:
Part I—Winds of super-hurricane force and a heated anemometer for their measurement during ice-forming conditions. (4 figs.) (S. Pagliuca.) 186–189;
Part II—The Mount Washington, N. H., heated anemometer. (4 figs.) (D. W. Mann.) 189–191.
Part III—The calibration of the heated anemometer and the analysis of its record of April 11–12, 1934. (1 fig.) (C. F. Marvin.) 191–195.
Winters. Record November fog preceding the phenomenal winter, of 1933–34 in the Pacific Northwest. (A. B. Carpenter.) 404–407.
**Woodward, Wendall H.** An unusual solar halo at Portland, Oreg. February 15, 1934. *Note.* 59.

Yukon. A climatological review of the Alaska-Yukon Plateau. (6 figs.) (R. L. Frost.) 269–280.

**Zoch, Richmond T.** On the relation between rainfall and streamflow. (1 fig.) 315–322.

○